


SROVAN

YANGIN KORUNUM



FİYAT LİSTESİ

OCAK 2024



www.srovan.com



	SPRINKLER	1-17
	SRPINKLER BAĞLANTI EKİPMANLARI	18-19
	ALARM VANALARI	21
	İZLENEBİLİR KELEBEK VANALAR	22
	AKIŞ ANAHTARI	23
	ÇİFT KLEPELİ ÇEK VANA	23
	TEST VE DRENAJ VANASI	24
	OS&Y VANA	25
	NRS VANA	25
	HİDRANT	26



UPRIGHT SPRINKLER

SRV-1123

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	197,97
1/2"	68°C	PIRİNÇ	184,30
1/2"	79°C	PIRİNÇ	197,97
1/2"	93°C	PIRİNÇ	197,97
1/2"	141°C	PIRİNÇ	197,97
1/2"	57°C	KROM	197,97
1/2"	68°C	KROM	197,97
1/2"	79°C	KROM	197,97
1/2"	93°C	KROM	197,97
1/2"	141°C	KROM	197,97



UPRIGHT SPRINKLER

SRV-1133

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	403,88
3/4"	68°C	PIRİNÇ	367,17
3/4"	79°C	PIRİNÇ	403,88
3/4"	93°C	PIRİNÇ	403,88
3/4"	141°C	PIRİNÇ	403,88
3/4"	57°C	KROM	403,88
3/4"	68°C	KROM	403,88
3/4"	79°C	KROM	403,88
3/4"	93°C	KROM	403,88
3/4"	141°C	KROM	403,88



PENDENT SPRINKLER

SRV-1127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	197,97
1/2"	68°C	PIRİNÇ	184,30
1/2"	79°C	PIRİNÇ	197,97
1/2"	93°C	PIRİNÇ	197,97
1/2"	141°C	PIRİNÇ	197,97
1/2"	57°C	BEYAZ	197,97
1/2"	68°C	BEYAZ	184,30
1/2"	79°C	BEYAZ	197,97
1/2"	93°C	BEYAZ	197,97
1/2"	141°C	BEYAZ	197,97
1/2"	57°C	KROM	197,97
1/2"	68°C	KROM	197,97
1/2"	79°C	KROM	197,97
1/2"	93°C	KROM	197,97
1/2"	141°C	KROM	197,97



PENDENT SPRINKLER

SRV-1137

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	404,03
3/4"	68°C	PIRİNÇ	367,34
3/4"	79°C	PIRİNÇ	404,03
3/4"	93°C	PIRİNÇ	404,03
3/4"	141°C	PIRİNÇ	404,03
3/4"	57°C	BEYAZ	404,03
3/4"	68°C	BEYAZ	367,34
3/4"	79°C	BEYAZ	404,03
3/4"	93°C	BEYAZ	404,03
3/4"	141°C	BEYAZ	404,03
3/4"	57°C	KROM	404,03
3/4"	68°C	KROM	404,03
3/4"	79°C	KROM	404,03
3/4"	93°C	KROM	404,03
3/4"	141°C	KROM	404,03



SIDEWALL SPRINKLER

SRV-1129

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	209,03
1/2"	68°C	PIRİNÇ	191,81
1/2"	79°C	PIRİNÇ	209,03
1/2"	93°C	PIRİNÇ	209,03
1/2"	141°C	PIRİNÇ	209,03
1/2"	57°C	BEYAZ	209,03
1/2"	68°C	BEYAZ	191,81
1/2"	79°C	BEYAZ	209,03
1/2"	93°C	BEYAZ	209,03
1/2"	141°C	BEYAZ	209,03
1/2"	57°C	KROM	209,03
1/2"	68°C	KROM	209,03
1/2"	79°C	KROM	209,03
1/2"	93°C	KROM	209,03
1/2"	141°C	KROM	209,03



SIDEWALL SPRINKLER

SRV-1139

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	438,87
3/4"	68°C	PIRİNÇ	398,91
3/4"	79°C	PIRİNÇ	438,87
3/4"	93°C	PIRİNÇ	438,87
3/4"	141°C	PIRİNÇ	438,87
3/4"	57°C	BEYAZ	438,87
3/4"	68°C	BEYAZ	398,91
3/4"	79°C	BEYAZ	438,87
3/4"	93°C	BEYAZ	438,87
3/4"	141°C	BEYAZ	438,87
3/4"	57°C	KROM	438,87
3/4"	68°C	KROM	438,87
3/4"	79°C	KROM	438,87
3/4"	93°C	KROM	438,87
3/4"	141°C	KROM	438,87



UPRIGHT SPRINKLER

SRV-1223

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	220,53
1/2"	68°C	PIRİNÇ	205,42
1/2"	79°C	PIRİNÇ	220,53
1/2"	93°C	PIRİNÇ	220,53
1/2"	141°C	PIRİNÇ	220,53
1/2"	57°C	KROM	220,53
1/2"	68°C	KROM	220,53
1/2"	79°C	KROM	220,53
1/2"	93°C	KROM	220,53
1/2"	141°C	KROM	220,53



UPRIGHT SPRINKLER

SRV-1233

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	447,43
3/4"	68°C	PIRİNÇ	406,76
3/4"	79°C	PIRİNÇ	447,43
3/4"	93°C	PIRİNÇ	447,43
3/4"	141°C	PIRİNÇ	447,43
3/4"	57°C	KROM	447,43
3/4"	68°C	KROM	447,43
3/4"	79°C	KROM	447,43
3/4"	93°C	KROM	447,43
3/4"	141°C	KROM	447,43

PENDENT SPRINKLER

SRV-1227

HIZLI TEPKİMELİ, K 5.6 (K 80)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	220,53
1/2"	68°C	PIRİNÇ	205,44
1/2"	79°C	PIRİNÇ	220,53
1/2"	93°C	PIRİNÇ	220,53
1/2"	141°C	PIRİNÇ	220,53
1/2"	57°C	BEYAZ	220,53
1/2"	68°C	BEYAZ	205,44
1/2"	79°C	BEYAZ	220,53
1/2"	93°C	BEYAZ	220,53
1/2"	141°C	BEYAZ	220,53
1/2"	57°C	KROM	220,53
1/2"	68°C	KROM	220,53
1/2"	79°C	KROM	220,53
1/2"	93°C	KROM	220,53
1/2"	141°C	KROM	220,53

PENDENT SPRINKLER

SRV-1237

HIZLI TEPKİMELİ, K 8.0 (K 115)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	450,36
3/4"	68°C	PIRİNÇ	409,42
3/4"	79°C	PIRİNÇ	450,36
3/4"	93°C	PIRİNÇ	450,36
3/4"	141°C	PIRİNÇ	450,36
3/4"	57°C	BEYAZ	450,36
3/4"	68°C	BEYAZ	409,42
3/4"	79°C	BEYAZ	450,36
3/4"	93°C	BEYAZ	450,36
3/4"	141°C	BEYAZ	450,36
3/4"	57°C	KROM	450,36
3/4"	68°C	KROM	450,36
3/4"	79°C	KROM	450,36
3/4"	93°C	KROM	450,36
3/4"	141°C	KROM	450,36

SIDEWALL SPRINKLER

SRV-1229

HIZLI TEPKİMELİ, K 5.6 (K 80)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	238,76
1/2"	68°C	PIRİNÇ	222,38
1/2"	79°C	PIRİNÇ	240,15
1/2"	93°C	PIRİNÇ	240,15
1/2"	141°C	PIRİNÇ	240,15
1/2"	57°C	BEYAZ	240,15
1/2"	68°C	BEYAZ	222,38
1/2"	79°C	BEYAZ	240,15
1/2"	93°C	BEYAZ	240,15
1/2"	141°C	BEYAZ	240,15
1/2"	57°C	KROM	240,15
1/2"	68°C	KROM	240,15
1/2"	79°C	KROM	240,15
1/2"	93°C	KROM	240,15
1/2"	141°C	KROM	240,15

SIDEWALL SPRINKLER

SRV-1239

HIZLI TEPKİMELİ, K 8.0 (K 115)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	457,42
3/4"	68°C	PIRİNÇ	415,86
3/4"	79°C	PIRİNÇ	457,42
3/4"	93°C	PIRİNÇ	457,42
3/4"	141°C	PIRİNÇ	457,42
3/4"	57°C	BEYAZ	457,42
3/4"	68°C	BEYAZ	415,86
3/4"	79°C	BEYAZ	457,42
3/4"	93°C	BEYAZ	457,42
3/4"	141°C	BEYAZ	457,42
3/4"	57°C	KROM	457,42
3/4"	68°C	KROM	457,42
3/4"	79°C	KROM	457,42
3/4"	93°C	KROM	457,42
3/4"	141°C	KROM	457,42

**EXTENDED COVERAGE UPRIGHT SPRINKLER****SRV-3123****STANDART TEPKİMELİ, K 5.6 (K 80)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	702,17
1/2"	68°C	PIRİNÇ	668,73
1/2"	79°C	PIRİNÇ	702,17
1/2"	93°C	PIRİNÇ	702,17
1/2"	141°C	PIRİNÇ	702,17

**EXTENDED COVERAGE UPRIGHT SPRINKLER****SRV-3133****STANDART TEPKİMELİ, K 8.0 (K 115)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	732,62
3/4"	68°C	PIRİNÇ	697,74
3/4"	79°C	PIRİNÇ	732,62
3/4"	93°C	PIRİNÇ	732,62
3/4"	141°C	PIRİNÇ	732,62



EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	641,94
1/2"	68°C	PIRİNÇ	577,73
1/2"	79°C	PIRİNÇ	641,94
1/2"	93°C	PIRİNÇ	641,94
1/2"	141°C	PIRİNÇ	641,94



EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3137

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	684,70
3/4"	68°C	PIRİNÇ	652,11
3/4"	79°C	PIRİNÇ	684,70
3/4"	93°C	PIRİNÇ	684,70
3/4"	141°C	PIRİNÇ	684,70

**EXTENDED COVERAGE SIDEWALL SPRINKLER****SRV-3129****STANDART TEPKİMELİ, K 5.6 (K 80)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	BEYAZ	682,86
1/2"	68°C	BEYAZ	650,36
1/2"	79°C	BEYAZ	682,86
1/2"	93°C	BEYAZ	682,86
1/2"	141°C	BEYAZ	682,86

**EXTENDED COVERAGE SIDEWALL SPRINKLER****SRV-3139****STANDART TEPKİMELİ, K 8.0 (K 115)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	BEYAZ	727,11
3/4"	68°C	BEYAZ	692,50
3/4"	79°C	BEYAZ	727,11
3/4"	93°C	BEYAZ	727,11
3/4"	141°C	BEYAZ	727,11



EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3223
HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	686,12
1/2"	68°C	PIRİNÇ	653,48
1/2"	79°C	PIRİNÇ	686,12
1/2"	93°C	PIRİNÇ	686,12
1/2"	141°C	PIRİNÇ	686,12



EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3233
HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	762,35
3/4"	68°C	PIRİNÇ	726,09
3/4"	79°C	PIRİNÇ	762,35
3/4"	93°C	PIRİNÇ	762,35
3/4"	141°C	PIRİNÇ	762,35

**EXTENDED COVERAGE PENDENT SPRINKLER****SRV-3227****HIZLI TEPKİMELİ, K 5.6 (K 80)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	662,39
1/2"	68°C	PIRİNÇ	653,80
1/2"	79°C	PIRİNÇ	662,39
1/2"	93°C	PIRİNÇ	662,39
1/2"	141°C	PIRİNÇ	662,39

**EXTENDED COVERAGE PENDENT SPRINKLER****SRV-3237****HIZLI TEPKİMELİ, K 8.0 (K 115)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	691,17
3/4"	68°C	PIRİNÇ	658,30
3/4"	79°C	PIRİNÇ	691,17
3/4"	93°C	PIRİNÇ	691,17
3/4"	141°C	PIRİNÇ	691,17



EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3229

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	BEYAZ	695,26
1/2"	68°C	BEYAZ	662,18
1/2"	79°C	BEYAZ	695,26
1/2"	93°C	BEYAZ	695,26
1/2"	141°C	BEYAZ	695,26



EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3239

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	BEYAZ	772,51
3/4"	68°C	BEYAZ	735,76
3/4"	79°C	BEYAZ	772,51
3/4"	93°C	BEYAZ	772,51
3/4"	141°C	BEYAZ	772,51



ELO UPRIGHT SPRINKLER

SRV-4133

STANDART TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	653,16
3/4"	68°C	PIRİNÇ	622,04
3/4"	79°C	PIRİNÇ	653,16
3/4"	93°C	PIRİNÇ	653,16
3/4"	141°C	PIRİNÇ	653,16



ELO UPRIGHT SPRINKLER

SRV-4233

HIZLI TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	686,52
3/4"	68°C	PIRİNÇ	653,79
3/4"	79°C	PIRİNÇ	686,52
3/4"	93°C	PIRİNÇ	686,52
3/4"	141°C	PIRİNÇ	686,52



ELO PENDENT SPRINKLER

SRV-4137

STANDART TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	648,29
3/4"	68°C	PIRİNÇ	617,41
3/4"	79°C	PIRİNÇ	648,29
3/4"	93°C	PIRİNÇ	648,29
3/4"	141°C	PIRİNÇ	648,29



ELO PENDENT SPRINKLER

SRV-4237

HIZLI TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	711,26
3/4"	68°C	PIRİNÇ	677,35
3/4"	79°C	PIRİNÇ	711,26
3/4"	93°C	PIRİNÇ	711,26
3/4"	141°C	PIRİNÇ	711,26

**ESFR UPRIGHT SPRINKLER****SRV-5233****HIZLI TEPKİMELİ, K 14 (K 200)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	741,90
3/4"	79°C	PIRİNÇ	741,90
3/4"	93°C	PIRİNÇ	741,90

**ESFR UPRIGHT SPRINKLER****SRV-5243****HIZLI TEPKİMELİ, K 17 (K 240)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	758,16
3/4"	79°C	PIRİNÇ	758,16
3/4"	93°C	PIRİNÇ	758,16

**ESFR PENDENT SPRINKLER****SRV-5237****HIZLI TEPKİMELİ, K 14 (K 200)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	754,81
3/4"	79°C	PIRİNÇ	754,81
3/4"	93°C	PIRİNÇ	754,81

**ESFR PENDENT SPRINKLER****SRV-5247****HIZLI TEPKİMELİ, K 17 (K 240)**

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	785,00
3/4"	79°C	PIRİNÇ	785,00
3/4"	93°C	PIRİNÇ	785,00



KURU TİP PENDENT SPRINKLER

SRV-6227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2" - 10 cm	68°C	KROM	5607,18
1/2" - 15 cm	68°C	KROM	5723,80
1/2" - 30 cm	68°C	KROM	6054,20



KURU TİP SIDEWALL SPRINKLER

SRV-6229

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2" - 10 cm	68°C	KROM	5655,77
1/2" - 15 cm	68°C	KROM	5811,25
1/2" - 30 cm	68°C	KROM	6199,97



GİZLİ TİP PENDENT SPRINKLER

SRV-7127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	68°C	PIRİNÇ	525,83
KAPAK	57°C	BEYAZ	370,42

GİZLİ TİP PENDENT SPRINKLER

SRV-7227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	68°C	PIRİNÇ	525,83
KAPAK	57°C	BEYAZ	370,42

ÇİFT PARÇA ROZET



	ÖLÇÜ (INCH)	KAPLAMA	LİSTE FİYATI (TL)
ÇİFT PARÇA	1/2"	BEYAZ	27,11
ÇİFT PARÇA	1/2"	FARKLI RENK	47,19
ÇİFT PARÇA	1/2"	KROM	40,59
ÇİFT PARÇA	3/4"	BEYAZ	32,38
ÇİFT PARÇA	3/4"	FARKLI RENK	57,60
ÇİFT PARÇA	3/4"	KROM	57,60

TEK PARÇA ROZET

	ÖLÇÜ (INCH)	KAPLAMA	LİSTE FİYATI (TL)
TEK PARÇA	1/2"	BEYAZ	27,51
TEK PARÇA	1/2"	FARKLI RENK	59,20
TEK PARÇA	1/2"	KROM	59,20
TEK PARÇA	3/4"	BEYAZ	37,20
TEK PARÇA	3/4"	FARKLI RENK	65,09
TEK PARÇA	3/4"	KROM	65,09



YEDEK SPRINKLER KUTUSU

ADET	ÖLÇÜ	KAPLAMA	LİSTE FİYATI (TL)
6	1/2"	KIRMIZI	4114,71
6	3/4"	KIRMIZI	3863,89
12	1/2"	KIRMIZI	4937,63
12	3/4"	KIRMIZI	4636,65



SPRINKLER TAKMA ANAHTARI

ÖLÇÜ	LİSTE FİYATI (TL)
1/2"	616,06
3/4"	578,50

SPRINKLER TİPLERİ Sprinkler Types



UPRIGHT



PENDENT



SIDEWALL



**HIZLI TEPKİMLİ
3 mm BULB**

Quick Response 3 mm Bulb



**STANDART TEPKİMLİ
5 mm BULB**

Standard Response 5 mm Bulb

SPRINKLER K DEĞERLERİ Sprinkler K Factors

K Faktörü / K Factor (SI)	K Faktörü / K Factor (US)	Bağlantı Ölçüsü / Connection Dimension	Tipi / Type
80	5,60	1/2"	Control Mode
115	8,00	3/4"	Control Mode / Storage
160	11,20	3/4"	Storage / ELO
200	14,00	3/4"	Storage / ESFR
240	16,70	3/4"	Storage / ESFR
320	22,50	1"	Storage / ESFR
360	25,00	1"	Storage / ESFR

SPRINKLER AKTİVASYON DERECELERİ Sprinkler Activation Temperature

57°C



135°F

68°C



155°F

79°C



175°F

93°C



200°F

141°C



286°F

182°C



360°C



ISLAK ALARM VANASI

SRV-212

21 BAR, 300 PSI, TSE

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100 *	4"	FLANŞLI	32728,97
DN 150 *	6"	FLANŞLI	41405,25
DN 200 *	8"	FLANŞLI	55739,84

* Trim seti, gong, basınç anahtarı, manometre, boşaltma vanası, geciktirme hücresi fiyatlara dahildir.



KURU ALARM VANASI

SRV-213

21 BAR, 300 PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100 *	4"	FLANŞLI	FİYAT SORUNUZ
DN 150 *	6"	FLANŞLI	FİYAT SORUNUZ
DN 200 *	8"	FLANŞLI	FİYAT SORUNUZ

* Trim seti, gong, basınç anahtarı, manometre, boşaltma vanası fiyatlara dahildir. Hızlandırıcısız modeldir.



İZLENEBİLİR KELEBEK VANA

SRV-216

WAFER, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 50	2"	WAFER	5804,24
DN 65	2 1/2"	WAFER	6109,24
DN 80	3"	WAFER	6400,38
DN 100	4"	WAFER	7260,61
DN 125	5"	WAFER	10351,52
DN 150	6"	WAFER	11684,85
DN 200	8"	WAFER	16157,58



İZLENEBİLİR KELEBEK VANA

SRV-218

DİŞLİ, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 25	1"	DİŞLİ	Fiyat Sorunuz
DN 32	1 1/4"	DİŞLİ	Fiyat Sorunuz
DN 40	1 1/2"	DİŞLİ	Fiyat Sorunuz
DN 50	2"	DİŞLİ	Fiyat Sorunuz





AKIŞ ANAHTARI U-BOLT , DİŞLİ, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 65	2 1/2"	U-BOLT	142,00
DN 80	3"	U-BOLT	142,00
DN 100	4"	U-BOLT	142,00
DN 150	6"	U-BOLT	142,00
DN 200	8"	U-BOLT	148,00



ÇİFT KLEPELİ ÇEK VANA SRV-462 PN16

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 50	2"	WAFER	99,55
DN 65	2 1/2"	WAFER	105,77
DN 80	3"	WAFER	125,68
DN 100	4"	WAFER	154,30
DN 125	5"	WAFER	182,92
DN 150	6"	WAFER	261,32
DN 200	8"	WAFER	379,54





TEST VE DRENAJ VANASI

SRV-313

DİŞLİ, DÖKÜM, 300 PSI

ÖLÇÜ	K DEĞERİ	ORİFİS ÇAPI	LİSTE FİYATI (TL)
1"	K80 - K5.6	1/2"	2562,55
1 1/4"	K80 - K5.6	1/2"	2577,38
1 1/2"	K80 - K5.6	1/2"	4692,85
2"	K80 - K5.6	1/2"	4766,26
1"	K115 - K8.0	17/32"	2994,96
1 1/4"	K115 - K8.0	17/32"	3037,37
1 1/2"	K115 - K8.0	17/32"	6832,01
2"	K115 - K8.0	17/32"	6897,49
1 1/4"	K160 - K11.2	5/8"	3187,47
1 1/2"	K160 - K11.2	5/8"	7100,49
2"	K160 - K11.2	5/8"	7226,28
1 1/4"	K200 - K14.0	3/4"	3272,94
1 1/2"	K200 - K14.0	3/4"	7310,94
2"	K200 - K14.0	3/4"	7433,03

TEST VE DRENAJ VANASI

SRV-312

DİŞLİ, PİRİNÇ, 300 PSI



ÖLÇÜ	K DEĞERİ	ORİFİS ÇAPI	LİSTE FİYATI (TL)
1"	K80 - K5.6	1/2"	3694,62
1 1/4"	K80 - K5.6	1/2"	3694,62
1 1/2"	K80 - K5.6	1/2"	7488,99
2"	K80 - K5.6	1/2"	7488,99
1"	K115 - K8.0	17/32"	3977,04
1 1/4"	K115 - K8.0	17/32"	4043,09
1 1/2"	K115 - K8.0	17/32"	9075,99
2"	K115 - K8.0	17/32"	9161,57
1 1/4"	K160 - K11.2	5/8"	4233,96
1 1/2"	K160 - K11.2	5/8"	9431,82
2"	K160 - K11.2	5/8"	9598,47
1 1/4"	K200 - K14.0	3/4"	4346,57
1 1/2"	K200 - K14.0	3/4"	4550,58
2"	K200 - K14.0	3/4"	9873,24

TSEK

**YÜKSELEN MİLLİ (OS&Y) VANA****SRV-224****200 PSI**

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100	4"	FLANŞLI	18096,20
DN 150	6"	FLANŞLI	27400,01
DN 200	8"	FLANŞLI	42139,34
DN 250	10"	FLANŞLI	81195,31
DN 300	12"	FLANŞLI	106655,00

**YÜKSELMİYEN MİLLİ (NRS) VANA****SRV-225****200 PSI**

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 65	2 1/2"	FLANŞLI	13459,02
DN 80	3"	FLANŞLI	16693,14
DN 100	4"	FLANŞLI	18609,23
DN 150	6"	FLANŞLI	23178,79
DN 200	8"	FLANŞLI	38257,77
DN 250	10"	FLANŞLI	72869,18
DN 300	12"	FLANŞLI	144344,84





HİDRANT SRV-332 PN 16, ANAHTAR DAHİL

ÖLÇÜ (DIN)	BOY (MM)	DÖKÜM	LİSTE FİYATI (TL)
DN 100	1450	DÖKÜM DEMİR	17930,50
DN 100	1750	DÖKÜM DEMİR	19849,39
DN 100	2150	DÖKÜM DEMİR	21820,40
DN 100		DİRSEK	4090,91



SPRINKLER KOD TABLOSU / SPRINKLER CODE TABLE

KOD / CODE	ÜRÜN ADI / PRODUCT NAME	ÖLÇÜ / SIZE	K FAKTÖR / K FACTOR	TEPKİME / RESPONSE
SRV1123	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN15	K 5.6 (80)	Standart / Standard
SRV1223	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN15	K 5.6 (80)	Hızlı / Quick
SRV1133	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN20	K 8.0 (115)	Standart / Standard
SRV1233	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN20	K 8.0 (115)	Hızlı / Quick
SRV1127	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV1227	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV1137	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN20	K 8.0 (115)	Standart / Standard
SRV1237	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN20	K 8.0 (115)	Hızlı / Quick
SRV1129	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN15	K 5.6 (80)	Standart / Standard
SRV1229	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV1139	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN20	K 8.0 (115)	Standart / Standard
SRV1239	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN20	K 8.0 (115)	Hızlı / Quick
SRV3123	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN15	K 5.6 (80)	Standart / Standard
SRV3223	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN15	K 5.6 (80)	Hızlı / Quick
SRV3133	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN20	K 8.0 (115)	Standart / Standard
SRV3233	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN20	K 8.0 (115)	Hızlı / Quick
SRV3127	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV3227	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV3137	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN20	K 8.0 (115)	Standart / Standard
SRV3237	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN20	K 8.0 (115)	Hızlı / Quick
SRV3129	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN15	K 5.6 (80)	Standart / Standard
SRV3229	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV3139	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN20	K 8.0 (115)	Standart / Standard
SRV3239	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN20	K 8.0 (115)	Hızlı / Quick
SRV4133	EXTRA LARGE ORIFICE UPRIGHT	DN20	K 11.2 (160)	Standart / Standard
SRV4233	EXTRA LARGE ORIFICE UPRIGHT	DN20	K 11.2 (160)	Hızlı / Quick
SRV4137	EXTRA LARGE ORIFICE PENDENT	DN20	K 11.2 (160)	Standart / Standard
SRV4237	EXTRA LARGE ORIFICE PENDENT	DN20	K 11.2 (160)	Hızlı / Quick
SRV5037	PENDENT KÖPÜK/SU NOZULU - PENDENT FOAM/WATER NOZZLE	DN20	-	-
SRV5029	SU PERDESİ NOZULU / WINDOW NOZZLE	DN15	-	-
SRV5039	SU PERDESİ NOZULU / WINDOW NOZZLE	DN20	-	-
SRV5022	ORTA HIZLI SU/KÖPÜK NOZULU / MEDIUM VELOCITY WATER SPREY NOZZLE	DN15	-	-
SRV5031	YÜKSEK HIZLI SU/KÖPÜK NOZULU / HIGH VELOCITY WATER SPREY NOZZLE	DN20	-	-
SRV5233	ESFR UPRIGHT SPRINKLER	DN20	K 14.0 (200)	Hızlı / Quick
SRV5243	ESFR UPRIGHT SPRINKLER	DN20	K 17.0 (240)	Hızlı / Quick
SRV5237	ESFR PENDENT SPRINKLER	DN20	K 14.0 (200)	Hızlı / Quick
SRV5247	ESFR PENDENT SPRINKLER	DN20	K 17.0 (240)	Hızlı / Quick
SRV6227	KURU TİP PENDENT / DRY SPRINKLERS PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV6229	KURU TİP SIDEWALL / DRY SPRINKLERS SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV7127	GİZLİ TİP PENDENT / CONCEALED SPRINKLER PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV7227	GİZLİ TİP PENDENT / CONCEALED SPRINKLER PENDENT	DN15	K 5.6 (80)	Hızlı / Quick

VANA KOD TABLOSU / VALVE CODE TABLE

KOD / CODE	ÜRÜN ADI / PRODUCT NAME	ÖLÇÜ / SIZE	Çalışma Basıncı / Working Pressure
SRV212	ISLAK ALARM VANASI / WET ALARM VALVE	DN100 - DN200	21 bar (300 psi)
SRV216	WAFER İZLENEBİLİR KELEBEK VANA / WAFER BUTTERFLY VALVE	DN65 - DN200	21 bar (300 psi)
SRV217	YİVLİ İZLENEBİLİR KELEBEK VANA / GROOVED BUTTERFLY VALVE	DN65 - DN200	21 bar (300 psi)
SRV218	DIŞLI İZLENEBİLİR KELEBEK VANA / THREAD BUTTERFLY VALVE	DN25 - DN50	12 bar (175 psi)
SRV224	YÜKSELEN MİLLİ VANA / OS&Y VALVE	DN100 - DN250	16 bar (250 psi)
SRV225	YÜKSELMİYEN MİLLİ VANA / NRS VALVE	DN100 - DN250	16 bar (250 psi)
SRV226	OS&Y İZLEME ANAHTARI / SUPERVISORY SWITCH	DN50 - DN300	-
SRV227	POST İNDİKATÖR / POST INDICATOR	DN100 - DN300	-
SRV332	YANGIN HİDRANTI / FIRE HYDRANT	DN100	16 bar (250 psi)
SRV312	TEST VE DRENAJ VANASI / TEST AND DRAIN VALVE	DN25 - DN50	21 bar (300 psi)
SRV313	TEST VE DRENAJ VANASI / TEST AND DRAIN VALVE	DN25 - DN50	21 bar (300 psi)
SRV462	ÇİFT KLAPELİ ÇEKVALF / DUAL CHECK VALVE	DN50 - DN200	16 bar (250 psi)
SRV463	YİVLİ SWING ÇEKVALF / GROOVED SWING CHECK VALVE	DN65 - DN200	21 bar (300 psi)
SRV505	AKIŞ ANAHTARI / FLOW SWITCH	DN65 - DN200	21 bar (300 psi)

SROVAN
YANGIN KORUNUM



www.srovan.com
info@srovan.com