


SROVAN

YANGIN KORUNUM



FİYAT LİSTESİ

TEMMUZ 2023



www.srovan.com



İÇİNDEKİLER

SROVAN



1-17

SPRINKLER



18-19

SRPINKLER BAĞLANTI EKİPMANLARI



21

ALARM VANALARI



22

İZLENEBİLİR KELEBEK VANALAR



23

AKIŞ ANAHTARI



23

ÇİFT KLEPELİ ÇEK VANA



24

TEST VE DRENAJ VANASI



25

OS&Y VANA



25

NRS VANA



26

HİDRANT



UPRIGHT SPRINKLER

SRV-1123

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	158,37
1/2"	68°C	PIRİNÇ	147,54
1/2"	79°C	PIRİNÇ	158,37
1/2"	93°C	PIRİNÇ	158,37
1/2"	141°C	PIRİNÇ	158,37
1/2"	57°C	KROM	158,37
1/2"	68°C	KROM	158,37
1/2"	79°C	KROM	158,37
1/2"	93°C	KROM	158,37
1/2"	141°C	KROM	158,37



UPRIGHT SPRINKLER

SRV-1133

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	351,20
3/4"	68°C	PIRİNÇ	319,28
3/4"	79°C	PIRİNÇ	351,20
3/4"	93°C	PIRİNÇ	351,20
3/4"	141°C	PIRİNÇ	351,20
3/4"	57°C	KROM	351,20
3/4"	68°C	KROM	351,20
3/4"	79°C	KROM	351,20
3/4"	93°C	KROM	351,20
3/4"	141°C	KROM	351,20



PENDENT SPRINKLER

SRV-1127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	158,37
1/2"	68°C	PIRİNÇ	147,54
1/2"	79°C	PIRİNÇ	158,37
1/2"	93°C	PIRİNÇ	158,37
1/2"	141°C	PIRİNÇ	158,37
1/2"	57°C	BEYAZ	158,37
1/2"	68°C	BEYAZ	147,54
1/2"	79°C	BEYAZ	158,37
1/2"	93°C	BEYAZ	158,37
1/2"	141°C	BEYAZ	158,37
1/2"	57°C	KROM	158,37
1/2"	68°C	KROM	158,37
1/2"	79°C	KROM	158,37
1/2"	93°C	KROM	158,37
1/2"	141°C	KROM	158,37



PENDENT SPRINKLER

SRV-1137

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	351,33
3/4"	68°C	PIRİNÇ	319,42
3/4"	79°C	PIRİNÇ	351,33
3/4"	93°C	PIRİNÇ	351,33
3/4"	141°C	PIRİNÇ	351,33
3/4"	57°C	BEYAZ	351,33
3/4"	68°C	BEYAZ	319,42
3/4"	79°C	BEYAZ	351,33
3/4"	93°C	BEYAZ	351,33
3/4"	141°C	BEYAZ	351,33
3/4"	57°C	KROM	351,33
3/4"	68°C	KROM	351,33
3/4"	79°C	KROM	351,33
3/4"	93°C	KROM	351,33
3/4"	141°C	KROM	351,33



SIDEWALL SPRINKLER

SRV-1129

STANDART TEPKİMLİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	169,95
1/2"	68°C	PIRİNÇ	155,94
1/2"	79°C	PIRİNÇ	169,95
1/2"	93°C	PIRİNÇ	169,95
1/2"	141°C	PIRİNÇ	169,95
1/2"	57°C	BEYAZ	169,95
1/2"	68°C	BEYAZ	155,94
1/2"	79°C	BEYAZ	169,95
1/2"	93°C	BEYAZ	169,95
1/2"	141°C	BEYAZ	169,95
1/2"	57°C	KROM	169,95
1/2"	68°C	KROM	169,95
1/2"	79°C	KROM	169,95
1/2"	93°C	KROM	169,95
1/2"	141°C	KROM	169,95



SIDEWALL SPRINKLER

SRV-1139

STANDART TEPKİMLİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	398,97
3/4"	68°C	PIRİNÇ	362,64
3/4"	79°C	PIRİNÇ	398,97
3/4"	93°C	PIRİNÇ	398,97
3/4"	141°C	PIRİNÇ	398,97
3/4"	57°C	BEYAZ	398,97
3/4"	68°C	BEYAZ	362,64
3/4"	79°C	BEYAZ	398,97
3/4"	93°C	BEYAZ	398,97
3/4"	141°C	BEYAZ	398,97
3/4"	57°C	KROM	398,97
3/4"	68°C	KROM	398,97
3/4"	79°C	KROM	398,97
3/4"	93°C	KROM	398,97
3/4"	141°C	KROM	398,97



UPRIGHT SPRINKLER

SRV-1223

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	180,03
1/2"	68°C	PIRİNÇ	167,69
1/2"	79°C	PIRİNÇ	180,03
1/2"	93°C	PIRİNÇ	180,03
1/2"	141°C	PIRİNÇ	180,03
1/2"	57°C	KROM	180,03
1/2"	68°C	KROM	180,03
1/2"	79°C	KROM	180,03
1/2"	93°C	KROM	180,03
1/2"	141°C	KROM	180,03



UPRIGHT SPRINKLER

SRV-1233

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	406,76
3/4"	68°C	PIRİNÇ	369,78
3/4"	79°C	PIRİNÇ	406,76
3/4"	93°C	PIRİNÇ	406,76
3/4"	141°C	PIRİNÇ	406,76
3/4"	57°C	KROM	406,76
3/4"	68°C	KROM	406,76
3/4"	79°C	KROM	406,76
3/4"	93°C	KROM	406,76
3/4"	141°C	KROM	406,76

PENDENT SPRINKLER

SRV-1227

HIZLI TEPKİMELİ, K 5.6 (K 80)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	180,03
1/2"	68°C	PIRİNÇ	167,71
1/2"	79°C	PIRİNÇ	180,03
1/2"	93°C	PIRİNÇ	180,03
1/2"	141°C	PIRİNÇ	180,03
1/2"	57°C	BEYAZ	180,03
1/2"	68°C	BEYAZ	167,71
1/2"	79°C	BEYAZ	180,03
1/2"	93°C	BEYAZ	180,03
1/2"	141°C	BEYAZ	180,03
1/2"	57°C	KROM	180,03
1/2"	68°C	KROM	180,03
1/2"	79°C	KROM	180,03
1/2"	93°C	KROM	180,03
1/2"	141°C	KROM	180,03

PENDENT SPRINKLER

SRV-1237

HIZLI TEPKİMELİ, K 8.0 (K 115)



ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	409,42
3/4"	68°C	PIRİNÇ	372,20
3/4"	79°C	PIRİNÇ	409,42
3/4"	93°C	PIRİNÇ	409,42
3/4"	141°C	PIRİNÇ	409,42
3/4"	57°C	BEYAZ	409,42
3/4"	68°C	BEYAZ	372,20
3/4"	79°C	BEYAZ	409,42
3/4"	93°C	BEYAZ	409,42
3/4"	141°C	BEYAZ	409,42
3/4"	57°C	KROM	409,42
3/4"	68°C	KROM	409,42
3/4"	79°C	KROM	409,42
3/4"	93°C	KROM	409,42
3/4"	141°C	KROM	409,42



SIDEWALL SPRINKLER

SRV-1229

HIZLI TEPKİMLİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	202,34
1/2"	68°C	PIRİNÇ	188,46
1/2"	79°C	PIRİNÇ	203,52
1/2"	93°C	PIRİNÇ	203,52
1/2"	141°C	PIRİNÇ	203,52
1/2"	57°C	BEYAZ	203,52
1/2"	68°C	BEYAZ	188,46
1/2"	79°C	BEYAZ	203,52
1/2"	93°C	BEYAZ	203,52
1/2"	141°C	BEYAZ	203,52
1/2"	57°C	KROM	203,52
1/2"	68°C	KROM	203,52
1/2"	79°C	KROM	203,52
1/2"	93°C	KROM	203,52
1/2"	141°C	KROM	203,52



SIDEWALL SPRINKLER

SRV-1239

HIZLI TEPKİMLİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	448,46
3/4"	68°C	PIRİNÇ	407,70
3/4"	79°C	PIRİNÇ	448,46
3/4"	93°C	PIRİNÇ	448,46
3/4"	141°C	PIRİNÇ	448,46
3/4"	57°C	BEYAZ	448,46
3/4"	68°C	BEYAZ	407,70
3/4"	79°C	BEYAZ	448,46
3/4"	93°C	BEYAZ	448,46
3/4"	141°C	BEYAZ	448,46
3/4"	57°C	KROM	448,46
3/4"	68°C	KROM	448,46
3/4"	79°C	KROM	448,46
3/4"	93°C	KROM	448,46
3/4"	141°C	KROM	448,46



EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3123

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	561,74
1/2"	68°C	PIRİNÇ	534,98
1/2"	79°C	PIRİNÇ	561,74
1/2"	93°C	PIRİNÇ	561,74
1/2"	141°C	PIRİNÇ	561,74



EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3133

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	586,10
3/4"	68°C	PIRİNÇ	558,19
3/4"	79°C	PIRİNÇ	586,10
3/4"	93°C	PIRİNÇ	586,10
3/4"	141°C	PIRİNÇ	586,10



EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	558,21
1/2"	68°C	PIRİNÇ	502,37
1/2"	79°C	PIRİNÇ	558,21
1/2"	93°C	PIRİNÇ	558,21
1/2"	141°C	PIRİNÇ	558,21



EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3137

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	595,39
3/4"	68°C	PIRİNÇ	567,05
3/4"	79°C	PIRİNÇ	595,39
3/4"	93°C	PIRİNÇ	595,39
3/4"	141°C	PIRİNÇ	595,39



EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3129

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	BEYAZ	569,05
1/2"	68°C	BEYAZ	541,97
1/2"	79°C	BEYAZ	569,05
1/2"	93°C	BEYAZ	569,05
1/2"	141°C	BEYAZ	569,05



EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3139

STANDART TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	BEYAZ	632,27
3/4"	68°C	BEYAZ	602,18
3/4"	79°C	BEYAZ	632,27
3/4"	93°C	BEYAZ	632,27
3/4"	141°C	BEYAZ	632,27



EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3223

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	571,76
1/2"	68°C	PIRİNÇ	544,57
1/2"	79°C	PIRİNÇ	571,76
1/2"	93°C	PIRİNÇ	571,76
1/2"	141°C	PIRİNÇ	571,76



EXTENDED COVERAGE UPRIGHT SPRINKLER

SRV-3233

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	635,29
3/4"	68°C	PIRİNÇ	605,08
3/4"	79°C	PIRİNÇ	635,29
3/4"	93°C	PIRİNÇ	635,29
3/4"	141°C	PIRİNÇ	635,29



EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	PIRİNÇ	575,99
1/2"	68°C	PIRİNÇ	568,52
1/2"	79°C	PIRİNÇ	575,99
1/2"	93°C	PIRİNÇ	575,99
1/2"	141°C	PIRİNÇ	575,99



EXTENDED COVERAGE PENDENT SPRINKLER

SRV-3237

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	639,98
3/4"	68°C	PIRİNÇ	609,54
3/4"	79°C	PIRİNÇ	639,98
3/4"	93°C	PIRİNÇ	639,98
3/4"	141°C	PIRİNÇ	639,98



EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3229

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	57°C	BEYAZ	604,58
1/2"	68°C	BEYAZ	575,81
1/2"	79°C	BEYAZ	604,58
1/2"	93°C	BEYAZ	604,58
1/2"	141°C	BEYAZ	604,58



EXTENDED COVERAGE SIDEWALL SPRINKLER

SRV-3239

HIZLI TEPKİMELİ, K 8.0 (K 115)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	BEYAZ	671,75
3/4"	68°C	BEYAZ	639,79
3/4"	79°C	BEYAZ	671,75
3/4"	93°C	BEYAZ	671,75
3/4"	141°C	BEYAZ	671,75



ELO UPRIGHT SPRINKLER

SRV-4133

STANDART TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	588,43
3/4"	68°C	PIRİNÇ	560,39
3/4"	79°C	PIRİNÇ	588,43
3/4"	93°C	PIRİNÇ	588,43
3/4"	141°C	PIRİNÇ	588,43



ELO UPRIGHT SPRINKLER

SRV-4233

HIZLI TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	618,49
3/4"	68°C	PIRİNÇ	589,00
3/4"	79°C	PIRİNÇ	618,49
3/4"	93°C	PIRİNÇ	618,49
3/4"	141°C	PIRİNÇ	618,49



ELO PENDENT SPRINKLER

SRV-4137

STANDART TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	563,73
3/4"	68°C	PIRİNÇ	536,88
3/4"	79°C	PIRİNÇ	563,73
3/4"	93°C	PIRİNÇ	563,73
3/4"	141°C	PIRİNÇ	563,73



ELO PENDENT SPRINKLER

SRV-4237

HIZLI TEPKİMELİ, K 11.2 (K 160)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	57°C	PIRİNÇ	618,49
3/4"	68°C	PIRİNÇ	589,00
3/4"	79°C	PIRİNÇ	618,49
3/4"	93°C	PIRİNÇ	618,49
3/4"	141°C	PIRİNÇ	618,49




ESFR UPRIGHT SPRINKLER

SRV-5233

HIZLI TEPKİMELİ, K 14 (K 200)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	645,13
3/4"	79°C	PIRİNÇ	645,13
3/4"	93°C	PIRİNÇ	645,13




ESFR UPRIGHT SPRINKLER

SRV-5243

HIZLI TEPKİMELİ, K 17 (K 240)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	670,94
3/4"	79°C	PIRİNÇ	670,94
3/4"	93°C	PIRİNÇ	670,94



ESFR PENDENT SPRINKLER

SRV-5237

HIZLI TEPKİMELİ, K 14 (K 200)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	645,13
3/4"	79°C	PIRİNÇ	645,13
3/4"	93°C	PIRİNÇ	645,13



ESFR PENDENT SPRINKLER

SRV-5247

HIZLI TEPKİMELİ, K 17 (K 240)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
3/4"	68°C	PIRİNÇ	670,94
3/4"	79°C	PIRİNÇ	670,94
3/4"	93°C	PIRİNÇ	670,94



KURU TİP PENDENT SPRINKLER

SRV-6227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2" - 10 cm	68°C	KROM	4 711,91
1/2" - 15 cm	68°C	KROM	4 809,92
1/2" - 30 cm	68°C	KROM	5 087,57



KURU TİP SİDEWALL SPRINKLER

SRV-6229

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2" - 10 cm	68°C	KROM	4 752,75
1/2" - 15 cm	68°C	KROM	4 883,41
1/2" - 30 cm	68°C	KROM	5 210,06



GİZLİ TİP PENDENT SPRINKLER

SRV-7127

STANDART TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	68°C	PIRİNÇ	438,19
KAPAK	57°C	BEYAZ	308,68

GİZLİ TİP PENDENT SPRINKLER

SRV-7227

HIZLI TEPKİMELİ, K 5.6 (K 80)

ÖLÇÜ	DERECE	KAPLAMA	LİSTE FİYATI (TL)
1/2"	68°C	PIRİNÇ	438,19
KAPAK	57°C	BEYAZ	308,68



ÇİFT PARÇA ROZET

	ÖLÇÜ (INCH)	KAPLAMA	LİSTE FİYATI (TL)
ÇİFT PARÇA	1/2"	BEYAZ	20,85
ÇİFT PARÇA	1/2"	FARKLI RENK	36,30
ÇİFT PARÇA	1/2"	KROM	31,22
ÇİFT PARÇA	3/4"	BEYAZ	24,91
ÇİFT PARÇA	3/4"	FARKLI RENK	44,31
ÇİFT PARÇA	3/4"	KROM	44,31

TEK PARÇA ROZET

	ÖLÇÜ (INCH)	KAPLAMA	LİSTE FİYATI (TL)
TEK PARÇA	1/2"	BEYAZ	21,16
TEK PARÇA	1/2"	FARKLI RENK	45,54
TEK PARÇA	1/2"	KROM	45,54
TEK PARÇA	3/4"	BEYAZ	28,61
TEK PARÇA	3/4"	FARKLI RENK	50,07
TEK PARÇA	3/4"	KROM	50,07



YEDEK SPRINKLER KUTUSU

ADET	ÖLÇÜ	KAPLAMA	LİSTE FİYATI (TL)
6	1/2"	KIRMIZI	3 165,00
6	3/4"	KIRMIZI	2 972,00
12	1/2"	KIRMIZI	3 798,00
12	3/4"	KIRMIZI	3 566,00



SPRINKLER TAKMA ANAHTARI

ÖLÇÜ	LİSTE FİYATI (TL)
1/2"	473,00
3/4"	445,00

SPRINKLER TİPLERİ Sprinkler Types



UPRIGHT



PENDENT



SIDEWALL



HIZLI TEPKİMLİ
3 mm BULB

Quick Response 3 mm Bulb



STANDART TEPKİMLİ
5 mm BULB

Standard Response 5 mm Bulb

SPRINKLER K DEĞERLERİ Sprinkler K Factors

K Faktörü / K Factor (SI)	K Faktörü / K Factor (US)	Bağlantı Ölçüsü / Connection Dimension	Tipi / Type
80	5,60	1/2"	Control Mode
115	8,00	3/4"	Control Mode / Storage
160	11,20	3/4"	Storage / ELO
200	14,00	3/4"	Storage / ESFR
240	16,70	3/4"	Storage / ESFR
320	22,50	1"	Storage / ESFR
360	25,00	1"	Storage / ESFR

SPRINKLER AKTİVASYON DERECELERİ Sprinkler Activation Temperature

57°C



135°F

68°C



155°F

79°C



175°F

93°C



200°F

141°C



286°F

182°C



360°C



ISLAK ALARM VANASI

SRV-212

21 BAR, 300 PSI, TSE

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100 *	4"	FLANŞLI	28 071,00
DN 150 *	6"	FLANŞLI	34 961,00
DN 200 *	8"	FLANŞLI	44 591,00

* Trim seti, gong, basınç anahtarı, manometre, boşaltma vanası, geciktirme hücresi fiyatlara dahildir.




KURU ALARM VANASI

SRV-213

21 BAR, 300 PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100 *	4"	FLANŞLI	FİYAT SORUNUZ
DN 150 *	6"	FLANŞLI	FİYAT SORUNUZ
DN 200 *	8"	FLANŞLI	FİYAT SORUNUZ

* Trim seti, gong, basınç anahtarı, manometre, boşaltma vanası fiyatlara dahildir. Hızlandırıcısız modeldir.



İZLENEBİLİR KELEBEK VANA

SRV-216

WAFER, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 50	2"	WAFER	4 641,00
DN 65	2 1/2"	WAFER	4 864,00
DN 80	3"	WAFER	5 185,00
DN 100	4"	WAFER	6 180,00
DN 125	5"	WAFER	9 041,00
DN 150	6"	WAFER	9 833,00
DN 200	8"	WAFER	14 824,00



İZLENEBİLİR KELEBEK VANA

SRV-218

DİŞLİ, 300PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 25	1"	DİŞLİ	382,05
DN 32	1 1/4"	DİŞLİ	407,63
DN 40	1 1/2"	DİŞLİ	441,11
DN 50	2"	DİŞLİ	563,20





AKIŞ ANAHTARI U-BOLT , DİŞLİ, 300PSİ

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 65	2 1/2"	U-BOLT	141,28
DN 80	3"	U-BOLT	141,28
DN 100	4"	U-BOLT	141,28
DN 150	6"	U-BOLT	141,28
DN 200	8"	U-BOLT	187,34



ÇİFT KLEPELİ ÇEK VANA SRV-462 PN16

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (USD)
DN 50	2"	WAFER	99,55
DN 65	2 1/2"	WAFER	105,77
DN 80	3"	WAFER	125,68
DN 100	4"	WAFER	154,30
DN 125	5"	WAFER	182,92
DN 150	6"	WAFER	261,32
DN 200	8"	WAFER	379,54





TEST VE DRENAJ VANASI

SRV-313

DİŞLİ, DÖKÜM, 300 PSI

ÖLÇÜ	K DEĞERİ	ORİFİS ÇAPI	LİSTE FİYATI (TL)
1"	K80 - K5.6	1/2"	2 314,00
1 1/4"	K80 - K5.6	1/2"	2 328,00
1 1/2"	K80 - K5.6	1/2"	4 265,00
2"	K80 - K5.6	1/2"	4 333,00
1"	K115 - K8.0	17/32"	2 721,00
1 1/4"	K115 - K8.0	17/32"	2 767,00
1 1/2"	K115 - K8.0	17/32"	6 211,00
2"	K115 - K8.0	17/32"	6 270,00
1 1/4"	K160 - K11.2	5/8"	2 897,00
1 1/2"	K160 - K11.2	5/8"	6 455,00
2"	K160 - K11.2	5/8"	6 569,00
1 1/4"	K200 - K14.0	3/4"	2 974,00
1 1/2"	K200 - K14.0	3/4"	6 646,32
2"	K200 - K14.0	3/4"	6 757,29



TEST VE DRENAJ VANASI

SRV-312

DİŞLİ, PİRİNÇ, 300 PSI

ÖLÇÜ	K DEĞERİ	ORİFİS ÇAPI	LİSTE FİYATI (TL)
1"	K80 - K5.6	1/2"	2 942,00
1 1/4"	K80 - K5.6	1/2"	2 942,00
1 1/2"	K80 - K5.6	1/2"	5 964,00
2"	K80 - K5.6	1/2"	5 964,00
1"	K115 - K8.0	17/32"	3 167,00
1 1/4"	K115 - K8.0	17/32"	3 220,00
1 1/2"	K115 - K8.0	17/32"	7 228,00
2"	K115 - K8.0	17/32"	7 296,00
1 1/4"	K160 - K11.2	5/8"	3 372,00
1 1/2"	K160 - K11.2	5/8"	7 511,00
2"	K160 - K11.2	5/8"	7 644,00
1 1/4"	K200 - K14.0	3/4"	3 461,00
1 1/2"	K200 - K14.0	3/4"	3 624,00
2"	K200 - K14.0	3/4"	7 863,00

TSEK



YÜKSELEN MİLLİ (OS&Y) VANA

SRV-224

200 PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 100	4"	FLANŞLI	15 023,00
DN 150	6"	FLANŞLI	22 644,00
DN 200	8"	FLANŞLI	33 148,00
DN 250	10"	FLANŞLI	62 457,00
DN 300	12"	FLANŞLI	82 042,00



YÜKSELMİYEN MİLLİ (NRS) VANA

SRV-225

200 PSI

ÖLÇÜ (DIN)	ÖLÇÜ (INCH)	BAĞLANTI	LİSTE FİYATI (TL)
DN 65	2 1/2"	FLANŞLI	11 215,00
DN 80	3"	FLANŞLI	13 910,00
DN 100	4"	FLANŞLI	15 507,00
DN 150	6"	FLANŞLI	19 315,00
DN 200	8"	FLANŞLI	31 881,00
DN 250	10"	FLANŞLI	60 724,00
DN 300	12"	FLANŞLI	120 287,00





HİDRANT SRV-332 PN 16, ANAHTAR DAHİL

ÖLÇÜ (DIN)	BOY (MM)	DÖKÜM	LİSTE FİYATI (TL)
DN 100	1450	DÖKÜM DEMİR	24 130,00
DN 100	1750	DÖKÜM DEMİR	24 909,00
DN 100	2150	DÖKÜM DEMİR	26 641,00
DN 100		DİRSEK	4 670,00



SPRINKLER KOD TABLOSU / SPRINKLER CODE TABLE

KOD / CODE	ÜRÜN ADI / PRODUCT NAME	ÖLÇÜ / SIZE	K FAKTÖR / K FACTOR	TEPKİME / RESPONSE
SRV1123	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN15	K 5.6 (80)	Standart / Standard
SRV1223	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN15	K 5.6 (80)	Hızlı / Quick
SRV1133	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN20	K 8.0 (115)	Standart / Standard
SRV1233	STANDART SPREY UPRIGHT / STANDARD SPRAY UPRIGHT	DN20	K 8.0 (115)	Hızlı / Quick
SRV1127	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV1227	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV1137	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN20	K 8.0 (115)	Standart / Standard
SRV1237	STANDART SPREY PENDENT / STANDARD SPRAY PENDENT	DN20	K 8.0 (115)	Hızlı / Quick
SRV1129	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN15	K 5.6 (80)	Standart / Standard
SRV1229	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV1139	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN20	K 8.0 (115)	Standart / Standard
SRV1239	DUVAR TİPİ SPRINKLER / HORIZONTAL SIDEWALL	DN20	K 8.0 (115)	Hızlı / Quick
SRV3123	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN15	K 5.6 (80)	Standart / Standard
SRV3223	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN15	K 5.6 (80)	Hızlı / Quick
SRV3133	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN20	K 8.0 (115)	Standart / Standard
SRV3233	GENİŞ ATIMLI UPRIGHT - EXTENDED COVERAGE UPRIGHT	DN20	K 8.0 (115)	Hızlı / Quick
SRV3127	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV3227	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV3137	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN20	K 8.0 (115)	Standart / Standard
SRV3237	GENİŞ ATIMLI PENDENT - EXTENDED COVERAGE PENDENT	DN20	K 8.0 (115)	Hızlı / Quick
SRV3129	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN15	K 5.6 (80)	Standart / Standard
SRV3229	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV3139	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN20	K 8.0 (115)	Standart / Standard
SRV3239	GENİŞ ATIMLI SIDEWALL - EXTENDED COVERAGE SIDEWALL	DN20	K 8.0 (115)	Hızlı / Quick
SRV4133	EXTRA LARGE ORIFICE UPRIGHT	DN20	K 11.2 (160)	Standart / Standard
SRV4233	EXTRA LARGE ORIFICE UPRIGHT	DN20	K 11.2 (160)	Hızlı / Quick
SRV4137	EXTRA LARGE ORIFICE PENDENT	DN20	K 11.2 (160)	Standart / Standard
SRV4237	EXTRA LARGE ORIFICE PENDENT	DN20	K 11.2 (160)	Hızlı / Quick
SRV5037	PENDENT KÖPÜK/SU NOZULU - PENDENT FOAM/WATER NOZZLE	DN20	-	-
SRV5029	SU PERDESİ NOZULU / WINDOW NOZZLE	DN15	-	-
SRV5039	SU PERDESİ NOZULU / WINDOW NOZZLE	DN20	-	-
SRV5022	ORTA HIZLI SU/KÖPÜK NOZULU / MEDIUM VELOCITY WATER SPREY NOZZLE	DN15	-	-
SRV5031	YÜKSEK HIZLI SU/KÖPÜK NOZULU / HIGH VELOCITY WATER SPREY NOZZLE	DN20	-	-
SRV5233	ESFR UPRIGHT SPRINKLER	DN20	K 14.0 (200)	Hızlı / Quick
SRV5243	ESFR UPRIGHT SPRINKLER	DN20	K 17.0 (240)	Hızlı / Quick
SRV5237	ESFR PENDENT SPRINKLER	DN20	K 14.0 (200)	Hızlı / Quick
SRV5247	ESFR PENDENT SPRINKLER	DN20	K 17.0 (240)	Hızlı / Quick
SRV6227	KURU TİP PENDENT / DRY SPRINKLERS PENDENT	DN15	K 5.6 (80)	Hızlı / Quick
SRV6229	KURU TİP SIDEWALL / DRY SPRINKLERS SIDEWALL	DN15	K 5.6 (80)	Hızlı / Quick
SRV7127	GİZLİ TİP PENDENT / CONCEALED SPRINKLER PENDENT	DN15	K 5.6 (80)	Standart / Standard
SRV7227	GİZLİ TİP PENDENT / CONCEALED SPRINKLER PENDENT	DN15	K 5.6 (80)	Hızlı / Quick

VANA KOD TABLOSU / VALVE CODE TABLE

KOD / CODE	ÜRÜN ADI / PRODUCT NAME	ÖLÇÜ / SIZE		Çalışma Basıncı / Working Pressure
SRV212	ISLAK ALARM VANASI / WET ALARM VALVE	DN100 - DN200		21 bar (300 psi)
SRV216	WAFER İZLENEBİLİR KELEBEK VANA / WAFER BUTTERFLY VALVE	DN65 - DN200		21 bar (300 psi)
SRV217	YİVLİ İZLENEBİLİR KELEBEK VANA / GROOVED BUTTERFLY VALVE	DN65 - DN200		21 bar (300 psi)
SRV218	DIŞLI İZLENEBİLİR KELEBEK VANA / THREAD BUTTERFLY VALVE	DN25 - DN50		12 bar (175 psi)
SRV224	YÜKSELEN MİLLİ VANA / OS&Y VALVE	DN100 - DN250		16 bar (250 psi)
SRV225	YÜKSELMEYEN MİLLİ VANA / NRS VALVE	DN100 - DN250		16 bar (250 psi)
SRV226	OS&Y İZLEME ANAHTARI / SUPERVISORY SWITCH	DN50 - DN300		-
SRV227	POST İNDİKATÖR / POST INDICATOR	DN100 - DN300		-
SRV332	YANGIN HİDRANTI / FIRE HYDRANT	DN100		16 bar (250 psi)
SRV312	TEST VE DRENAJ VANASI / TEST AND DRAIN VALVE	DN25 - DN50		21 bar (300 psi)
SRV313	TEST VE DRENAJ VANASI / TEST AND DRAIN VALVE	DN25 - DN50		21 bar (300 psi)
SRV462	ÇİFT KLAPELİ ÇEKVALF / DUAL CHECK VALVE	DN50 - DN200		16 bar (250 psi)
SRV463	YİVLİ SWING ÇEKVALF / GROOVED SWING CHECK VALVE	DN65 - DN200		21 bar (300 psi)
SRV505	AKIŞ ANAHTARI / FLOW SWITCH	DN65 - DN200		21 bar (300 psi)

NOTLAR

[illegible]

NOTLAR

[illegible]

NOTLAR

[illegible]

NOTLAR

[illegible]

SROVAN

YANGIN KORUNUM



www.srovan.com
info@srovan.com